

www.instrocon.com



INSTROCON

C 76-78 Nishtar Road,
Small Industrial Estate, Sialkot-51310 Pakistan.
Tel: +92-52-3552 622 Fax: +92-52-3255 172
E-mail: info@instrocon.com
Web: www.instrocon.com



INSTROCON

Electro Surgical Instruments



www.instrocon.com





INSTROCON

EUROPEAN BIPOLAR FORCEPS



McPHERSON
INE-501



McPHERSON
INE-502 (Angled)



JEWELER #5
INE-503



JEWELER #5
INE-504 (Angled)




JEWELER #7
INE-505



ADSON
INE-506
INE-507


AVAILABLE TIP WIDTH




Cat #	Description	Tip (mm)	Size
INE-501	McPherson	0.5	4" (10.2cm)
INE-502	McPherson (Angled)	0.5	4" (10.2cm)
INE-503	Jeweler #5	Micro,0.7	4 1/2" (11.5cm)
INE-504	Jeweler #5 (Angled)	Micro,0.7	4 1/2" (11.5cm)
INE-505	Jeweler #7	Micro,0.7	4 1/2" (11.5cm)
INE-506	Adson	1.0	4 3/4" (12.1cm)
INE-507	Adson	1.0	6" (15.0cm)



EUROPEAN BIPOLAR FORCEPS



Cat #	Description	Tip (mm)	Size
INE-508	Straight	0.5,1.0,2.0	6" (15.0cm)
INE-509	Straight	0.5,1.0,2.0	7" (18.0cm)
INE-510	Straight	0.5,1.0,2.0	7 ³ / ₄ " (20.0cm)
INE-511	Straight	0.5,1.0,2.0	8 ³ / ₄ " (22.0cm)
INE-512	Straight	0.5,1.0,2.0	9 ¹ / ₂ " (24.0cm)
INE-513	Straight (Angled)	0.5,1.0,2.0	6" (15.0cm)
INE-514	Straight (Angled)	0.5,1.0,2.0	7" (18.0cm)
INE-515	Straight (Angled)	0.5,1.0,2.0	7 ³ / ₄ " (20.0cm)
INE-516	Straight (Angled)	0.5,1.0,2.0	8 ³ / ₄ " (22.0cm)
INE-517	Straight (Angled)	0.5,1.0,2.0	9 ¹ / ₂ "(24.0cm)






INSTROCON

EUROPEAN BIPOLAR FORCEPS

AVAILABLE TIP WIDTH



BAYONET
INE-518



BAYONET
INE-519



BAYONET
INE-520
INE-521
INE-522



BAYONET
(Angled up)
INE-523



BAYONET
(Angled up)
INE-524



BAYONET
(Angled up)
INE-525
INE-526
INE-527



BAYONET
(Angled down)
INE-528



BAYONET
(Angled down)
INE-529



BAYONET
(Angled down)
INE-530
INE-531
INE-532

Cat #	Description	Tip (mm)	Size
INE-518	Bayonet	0.5,1.0,2.0	6 1/2" (16.5cm)
INE-519	Bayonet	0.5,1.0,2.0	7" (18.0cm)
INE-520	Bayonet	0.5,1.0,2.0	7 3/4" (20.0cm)
INE-521	Bayonet	0.5,1.0,2.0	8 3/4" (22.0cm)
INE-522	Bayonet	0.5,1.0,2.0	9 1/2" (24.0cm)
INE-523	Bayonet (Angled up)	0.5,1.0,2.0	6 1/2" (16.5cm)
INE-524	Bayonet (Angled up)	0.5,1.0,2.0	7" (18.0cm)
INE-525	Bayonet (Angled up)	0.5,1.0,2.0	7 3/4" (20.0cm)
INE-526	Bayonet (Angled up)	0.5,1.0,2.0	8 3/4" (22.0cm)
INE-527	Bayonet (Angled up)	0.5,1.0,2.0	9 1/2" (24.0cm)
INE-528	Bayonet (Angled down)	0.5,1.0,2.0	6 1/2" (16.5cm)
INE-529	Bayonet (Angled down)	0.5,1.0,2.0	7" (18.0cm)
INE-530	Bayonet (Angled down)	0.5,1.0,2.0	7 3/4" (20.0cm)
INE-531	Bayonet (Angled down)	0.5,1.0,2.0	8 3/4" (22.0cm)
INE-532	Bayonet (Angled down)	0.5,1.0,2.0	9 1/2" (24.0cm)



IRRIGATION BIPOLAR FORCEPS



BAYONET
INE-533 - I R
18cm



BAYONET
INE-534 - I R
20cm



STRAIGHT
INE-535 - I R
20cm



STRAIGHT
INE-536 - I R
16cm



INSTROCON

BIPOLAR HAND - SWITCH FORCEPS



INE-537 - HS



INE-538 - HS



INE-539 - HS



INE-540 - HS

Cat #	Description	Tip (mm)	Size
INE-537 HS	Jeweler # 4	0.5	4 1/2" (11.5cm)
INE-538 HS	Semkin	0.75	5 1/2" (14.0cm)
INE-539 HS	Jansen Bayonet	0.75	7 1/2" (19.1cm)
INE-540 HS	Scoville-Greenwood	1.5	7 3/4" (19.7cm)

BIPOLAR IRRIGATION FORCEPS



INE-541 - IR



INE-542 - IR



INE-543 - IR



INE-544 - IR




INE-545 - IR

Cat #	Description	Tip (mm)	Size
INE-541 IR	Hardly Bayonet	1.5	8 1/2" (21.6cm)
INE-542 IR	Jansen Bayonet	1.5	7 1/2" (19.1cm)
INE-543 IR	Scoville-Greenwood	1.5	7 3/4" (19.7cm)
INE-544 IR	Gerald Bayonet	1.0	7 1/4" (18.4cm)
INE-545 IR	Cushing	1.0	6 1/4" (15.9cm)



MONOPOLAR HAND - SWITCH FORCEPS



POTTS-SMITH
INE-546 - HS
INE-547 - HS

POTTS-SMITH
INE-548 - HS

JANSEN BAYONET
INE-549 - HS

JANSEN BAYONET
INE-550 - HS
INE-551 - HS

Cat #	Description	Tip (mm)	Size
INE-546 HS	Potts - Smith	2.0	7" (18.0cm)
INE-547 HS	Potts - Smith	2.0	8 1/4" (21.0cm)
INE-548 HS	Potts - Smith	2.0	9 1/2" (24.0cm)
INE-549 HS	Jansen Bayonet	2.0	5 1/2" (14.0cm)
INE-550 HS	Jansen Bayonet	2.0	7 1/2" (19.0cm)
INE-551 HS	Jansen Bayonet	2.0	8 1/2" (21.0cm)



INSTROCON

NEUROSURGICAL BIPOLAR FORCEPS



**JANSEN
BAYONET**
INE-552-A
INE-552-B



**JANSEN
BAYONET**
INE-553-A
INE-553-B
INE-554-A
INE-554-B



MALIS
INE-555-A
INE-555-B



**SCOVILLE
GREENWOOD**
INE-556-A INE-556-B



YASARGIL
INE-557-A
INE-557-B



**HARDY
BAYONET**
INE-558-A
INE-558-B



**HARDY
BAYONET
(Angled)**
INE-559-A
INE-559-B

Cat #	Description	Style	Tip (mm)	Size
INE-552 A	Jansen Bayonet	Insulated	0.5,1.0,1.5	6" (15.2cm)
INE-552 B	Jansen Bayonet	Non-Insulated	0.5,1.0,1.5	6" (15.2cm)
INE-553 A	Jansen Bayonet	Insulated	0.5,1.0,1.5	7" (17.8cm)
INE-553 B	Jansen Bayonet	Non-Insulated	0.5,1.0,1.5	7" (17.8cm)
INE-554 A	Jansen Bayonet	Insulated	0.5,1.0,1.5	8" (20.4cm)
INE-554 B	Jansen Bayonet	Non-Insulated	0.5,1.0,1.5	8" (20.4cm)
INE-555 A	Malis	Insulated	0.5,1.0,1.5	7" (17.8cm)
INE-555 B	Malis	Non-Insulated	0.5,1.0,1.5	7" (17.8cm)
INE-556 A	Scoville-Greenwood	Insulated	1.0,1.5	7 1/2" (19.1cm)
INE-556 B	Scoville-Greenwood	Non-Insulated	1.0,1.5	7 1/2" (19.1cm)
INE-557 A	Yasargil	Insulated	1.0,1.5	7 3/4" (19.7cm)
INE-557 B	Yasargil	Non-Insulated	1.0,1.5	7 3/4" (19.7cm)
INE-558 A	Hardy Bayonet	Insulated	1.0	8 1/2" (21.6cm)
INE-558 B	Hardy Bayonet	Non-Insulated	1.0	8 1/2" (21.6cm)
INE-559 A	Hardy Bayonet (Ang)	Insulated	1.0	8 1/2" (21.6cm)
INE-559 B	Hardy Bayonet (Ang)	Non-Insulated	1.0	8 1/2" (21.6cm)



INSTROCON



PLASTIC & RECONSTRUCTIVE BIPOLAR FORCEPS



ADSON
INE-560-A
INE-560-B



SEMKIN
INE-561-A
INE-561-B



CUSHING
INE-562-A
INE-562-B



CUSHING
INE-563-A
INE-563-B




CUSHING
(Gursh)
INE-564-A
INE-564-B



GERALD
(Str.)
INE-565-A
INE-565-B



GERALD
(Crv.)
INE-566-A
INE-566-B



GERALD BAYONET
INE-567-A
INE-567-B

Cat #	Description	Style	Tip (mm)	Size
INE-560 A	Adson	Insulated	1.0	43/4"(12.1cm)
INE-560 B	Adson	Non-Insulated	1.0	43/4"(12.1cm)
INE-561 A	Semkin	Insulated	0.5	51/2"(14.0cm)
INE-561 B	Semkin	Non-Insulated	0.5	51/2"(14.0cm)
INE-562 A	Cushing	Insulated	1.0,1.5	61/2"(20.4cm)
INE-562 B	Cushing	Non-Insulated	1.0,1.5	61/2"(20.4cm)
INE-563 A	Cushing	Insulated	1.0,2.0	7"(17.8cm)
INE-563 B	Cushing	Non-Insulated	1.0,2.0	7"(17.8cm)
INE-564 A	Cushing (Gursh)	Insulated	2.0	7"(17.8cm)
INE-564 B	Cushing (Gursh)	Non-Insulated	2.0	7"(17.8cm)
INE-565 A	Gerald (Str.)	Insulated	1.0,1.5	7"(17.8cm)
INE-565 B	Gerald (Str.)	Non-Insulated	1.0,1.5	7"(17.8cm)
INE-566 A	Gerald (Crv.)	Insulated	1.0,1.5	7"(17.8cm)
INE-566 B	Gerald (Crv.)	Non-Insulated	1.0,1.5	7"(17.8cm)
INE-567 A	Gerald Bayonet	Insulated	1.0,1.5	71/4 "(18.4cm)
INE-567 B	Gerald Bayonet	Non-Insulated	1.0,1.5	71/4 "(18.4cm)



INSTROCON

OPHTHALMIC BIPOLAR FORCEPS



McPHERSON (Str.)
INE-568-A PIE-568-B



McPHERSON (Crv.)
INE-569-A PIE-569-B



COAPTATION NADLER
INE-570-A PIE-570-B




COAPTATION
INE-571-A PIE-571-B



JEWELER # 5
INE-572-A PIE-572-B

Cat #	Description	Style	Tip (mm)	Size
INE-568 A	McPherson (Str.)	Insulated	0.5	3 1/2" (9.0cm)
INE-568 B	McPherson (Str.)	Non-Insulated	0.5	3 1/2" (9.0cm)
INE-569 A	McPherson (Crv.)	Insulated	0.5	3 1/2" (9.0cm)
INE-569 B	McPherson (Crv.)	Non-Insulated	0.5	3 1/2" (9.0cm)
INE-570 A	Coaptation Nadler	Insulated	0.5	4" (10.2cm)
INE-570 B	Coaptation Nadler	Non-Insulated	0.5	4" (10.2cm)
INE-571 A	Coaptation	Insulated	0.5	4 1/4" (10.8cm)
INE-571 B	Coaptation	Non-Insulated	0.5	4 1/4" (10.8cm)
INE-572 A	Jeweler # 5	Insulated	Micro 0.5	4 1/2" (11.5cm)
INE-572 B	Jeweler # 5	Non-Insulated	Micro 0.5	4 1/2" (11.5cm)

AVAILABLE TIP WIDTH



JEWELER # 4
INE-573-A INE-573-B



TENZEL
INE-574-A INE-574-B



JEWELER # 7
INE-575-A INE-575-B



IRIS (Str.)
INE-576-A INE-576-B



IRIS (Crv.)
INE-577-A INE-577-B

Cat #	Description	Style	Tip (mm)	Size
INE-573 A	Jeweler # 4	Insulated	Micro,0.5	4 1/2" (11.5cm)
INE-573 B	Jeweler # 4	Non-Insulated	Micro,0.5	4 1/2" (11.5cm)
INE-574 A	Tenzel	Insulated	Micro,0.5	4" (10.2cm)
INE-574 B	Tenzel	Non-Insulated	Micro,0.5	4" (10.2cm)
INE-575 A	Jeweler # 7	Insulated	Micro,0.5	4 1/2" (11.5cm)
INE-575 B	Jeweler # 7	Non-Insulated	Micro,0.5	4 1/2" (11.5cm)
INE-576 A	Iris (Str.)	Insulated	1.5	4 1/4" (10.8cm)
INE-576 B	Iris (Str.)	Non-Insulated	1.5	4 1/4" (10.8cm)
INE-577 A	Iris (Crv.)	Insulated	1.5	4 1/4" (10.8cm)
INE-577 B	Iris (Crv.)	Non-Insulated	1.5	4 1/4" (10.8cm)



ELECTROSURGICAL INSTRUMENTS FOR GYNECOLOGY



GRAVES VAGINAL SPECULUM
WITH SMOKE EVACUATION TUBE

- INE-578 Small
- INE-579 Medium
- INE-580 Large



PEDERSON VAGINAL SPECULUM
WITH SMOKE EVACUATION TUBE

- INE-581 Small
- INE-582 Medium
- INE-583 Large



VU-MAX SPECULUM
WITH DISPOSABLE TUBING

- INE-584 Graves (Medium)
- INE-585 Pederson (Medium)



VU-MORE (Graves)
SPECULUM WITH
DISPOSABLE TUBING

- INE-586 Medium
- INE-587 Large



CUSCO SPECULUM

- INE-588 Small
- INE-589 Medium
- INE-590 Large



COLLIN SPECULUM
WITH SMOKE EVACUATION
TUBE

- INE-591 Small
- INE-592 Medium
- INE-593 Large



INSTROCON

ELECTROSURGICAL INSTRUMENTS FOR GYNECOLOGY



RIGBY RETRACTOR
INE-594




GELPI RETRACTOR
INE-595




**LATERAL RETRACTOR
(WIDE OPEN)**
INE-596



**LATERAL VAGINAL
RETRACTOR**
INE-597




**KOGAN ENDOCERVICAL
SPECULUM**
INE-598




3mm

PIE-598



4mm

PIE-599



5mm

PIE-600



ELECTROSURGICAL INSTRUMENTS FOR GYNECOLOGY



RING FORCEPS
INE-601 (22cm)



CAMPION FORCEPS
INE-603 (22cm)



SINGLE TOOTH TENACULUM
INE-602 (24cm)



SCHROEDER TENACULUM
INE-604





INSTROCON

ELECTROSURGICAL INSTRUMENTS FOR GYNECOLOGY



DRESSING FORCEPS
INE-605 (21cm)
INE-606 (25cm)



TISSUE FORCEPS
INE-607 (21cm)
INE-608 (25cm)



IRIS HOOK
INE-609



EMMETT HOOK
INE-610



STRAIGHT HOOK
INE-611 (25cm)



TWO-PRONG HOOK
INE-612 (25cm)



THREE-PRONG HOOK
INE-613 (25cm)



LASER SURGERY INSTRUMENTS FOR GYNECOLOGY



GRAVES SPECULUM
WITH SMOKE EVACUATION
TUBE
INE-614 Small
INE-615 Medium
INE-616 Large



PEDERSON SPECULUM
WITH SMOKE EVACUATION
TUBE
INE-617 Small
INE-618 Medium
INE-619 Large



COLLIN SPECULUM
WITH SMOKE EVACUATION
TUBE
INE-620 Small
INE-621 Medium
INE-622 Large



**LATERAL VAGINAL
RETRACTOR**
INE-623



**KOGAN ENDOCERVICAL
SPECULUM**
INE-624



INSTROCON

LASER SURGERY INSTRUMENTS FOR GYNECOLOGY



SCHROEDER TENACULUM
INE-625



GELPI RETRACTOR
INE-626



RIGBY RETRACTOR
INE-627



IRIS HOOK
INE-628



EMMETT HOOK
INE-629



STRAIGHT HOOK
INE-630



TWO-PRONG HOOK
INE-631



THREE-PRONG HOOK
INE-632



DIATHERMY INSTRUMENTS (ENGLISH FITTING)



ADSON
INE-633



MCINDOE
INE-634



GILLIES
INE-635



DISSECTING
INE-636



ADSON BAYONET
INE-637

TURNER-WARWICK
INE-639 (Crv.)



WILSON HEY FORCEPS
INE-640

WILSON HEY FORCEPS
INE-641 (Crv.)



TURNER-WARWICK
INE-638



Cat #	Description	Tip (mm)	Size
INE-633	Adson	1.0	4 ³ / ₄ " (12.0cm)
INE-634	Mcindoe	1.0	6" (15.0cm)
INE-635	Gillies (1x2)	-	6" (15.0cm)
INE-636 A	Dissecting Forceps	2.0 mm	6" (15.0cm)
INE-636 B	Dissecting Forceps	2.0 mm	7" (15.0cm)
INE-636 C	Dissecting Forceps	2.0 mm	8 ¹ / ₄ " (21.0cm)
INE-636 D	Dissecting Forceps	2.0 mm	9 ¹ / ₂ " (24.1cm)
INE-637	Adson Bayonet	2.0 mm	7 ¹ / ₂ " (19.1cm)
INE-638 A	Turner-Warwick Scissors (Str.)	-	7" (17.8cm)
INE-639 A	Turner-Warwick Scissors (Crv.)	-	7" (17.8cm)
INE-638 B	Turner-Warwick Scissors (Str.)	-	9" (23.0cm)
INE-639 B	Turner-Warwick Scissors (Crv.)	-	9" (23.0cm)
INE-640 A	Wilson Hey Forceps (Str.)	-	7" (17.8cm)
INE-641 A	Wilson Hey Forceps (Crv.)	-	7" (17.8cm)
INE-640 B	Wilson Hey Forceps (Str.)	-	9" (23.0cm)
INE-641 B	Wilson Hey Forceps (Crv.)	-	9" (23.0cm)



INSTROCON

DIATHERMY INSTRUMENTS (EUROPEAN FITTING)

POTTS-SMITH
INE-642
INE-643
INE-644

GERALD (1X2)
INE-645

BAYONET FORCEPS
INE-646
INE-647

SURGICAL SCISSORS
INE-649 (Crv.)
INE-651 (Crv.)

SURGICAL SCISSORS
INE-648
INE-650

ARTERY FORCEPS
INE-652
INE-654



ARTERY FORCEPS
INE-653 (Crv.), INE-655 (Crv.)

Cat #	Description	Tip (mm)	Size
INE-642	Potts-Smith	2.0 mm	7" (17.8cm)
INE-643	Potts-Smith	2.0 mm	8 1/4" (21.1cm)
INE-644	Potts-Smith	2.0 mm	9 1/2" (24.1cm)
INE-645	Gerald (1x2)	-	7" (17.8cm)
INE-646	Bayonet Forceps	2.0 mm	6 1/4" (16.0cm)
INE-647	Bayonet Forceps	2.0 mm	8 1/4" (21.0cm)
INE-648	Surgical Scissors (Str.)	-	7" (17.8cm)
INE-649	Surgical Scissors (Crv.)	-	7" (17.8cm)
INE-650	Surgical Scissors (Str.)	-	8" (20.0cm)
INE-651	Surgical Scissors (Crv.)	-	8" (20.0cm)
INE-652	Artery Forceps (Str.)	-	7" (17.8cm)
INE-653	Artery Forceps (Crv.)	-	7" (17.8cm)
INE-654	Artery Forceps (Str.)	-	8" (20.0cm)
INE-655	Artery Forceps (Crv.)	-	8" (20.0cm)



BIPOLAR ELECTRODES



STRAIGHT
INE-656
INE-657
INE-658
INE-659

ANGLED
INE-660
INE-661
INE-662

ANGLED (Upward Tip)
INE-663
INE-664

ANGLED 45°
INE-665

ANGLED 90°
INE-666

Cat #	Description	Size
INE-656	Straight	18.0cm
INE-657	Straight	20.0cm
INE-658	Straight	22.0cm
INE-659	Straight	27.0cm
INE-660	Angled #7	18.0cm
INE-661	Angled	20.0cm
INE-662	Angled	22.0cm
INE-663	Angled (Upward Tip)	16.5cm
INE-664	Angled (Upward Tip)	20.0cm
INE-665	Angled 45 Degree	19.0cm
INE-666	Angled 90 Degree	16.0cm



INSTROCON

LAPAROSCOPIC ELECTRODES

WITH SUCTION



L-HOOK ELECTRODE (36 cm)
INE-667



J-HOOK ELECTRODE (36 cm)
INE-668



NEEDLE ELECTRODE (36 cm)
INE-669



SPATULA ELECTRODE (36 cm)
INE-670



BALL ELECTRODE (36 cm)
INE-671

WITHOUT SUCTION



L-HOOK ELECTRODE (36 cm)
INE-672



J-HOOK ELECTRODE (36 cm)
INE-673



NEEDLE ELECTRODE (36 cm)
INE-674



SPATULA ELECTRODE (36 cm)
INE-675



BALL ELECTRODE (36 cm)
INE-676



HANDLE WITH
SUCTION



HANDLE WITHOUT
SUCTION



ELECTRODES (SINGLE USE)



BLADE ELECTRODE
INE-677



BLADE ELECTRODE (Crv.)
INE-678



NEEDLE ELECTRODE
INE-669



NEEDLE ELECTRODE (Crv.)
INE-670



BALL ELECTRODE
INE-671 (2mm)



BALL ELECTRODE (Crv.)
INE-672 (2mm)



BALL ELECTRODE (3mm)
INE-673



BALL ELECTRODE (Crv.)
INE-674 (3mm)



BALL ELECTRODE (4mm)
INE-675



BALL ELECTRODE (Crv.)
INE-676 (4mm)



BALL ELECTRODE (5mm)
INE-677



BALL ELECTRODE (Crv.)
INE-678 (5mm)



NEEDLE ELECTRODE (Shaft 13cm)
INE-679



BALL ELECTRODE (3mm Shaft 13cm)
INE-680




BALL ELECTRODE (5mm Shaft 13cm)
INE-681



SQUARE LOOP ELECTRODE (1.0cm X 0.8cm)
INE-682



LOOP ELECTRODE (1.5cm X 0.8cm)
INE-683



LOOP ELECTRODE (2.0cm X 0.8cm)
INE-684




INSTROCON

ELECTROSURGICAL CABLES



SILLICON EUROPEAN BIPOLAR CABLE 10' (3.0m)
Forceps Connector - Standard European Fitting
Generator Connector - Standard Banana Plug
INE-685



SILLICON MONOPOLAR CABLE 10' (3.0m)
Forceps Connector - Screw Type
Generator Connector - Standard Bovie Plug Fitting
INE-686



SILLICON BIPOLAR CABLE 10' (3.0m)
Forceps Connector - Standard 2 Pin Fitting
Generator Connector - Standard Banana Plug
INE-687



SILLICON EUROPEAN BIPOLAR CABLE 10' (3.0m)
Forceps Connector - Standard European Fitting
Generator Connector - Martin Type
INE-688



SILLICON MONOPOLAR ENDOSCOPIC CABLE 10' (3.0m)
Forceps Connector - 4mm Fitting
Generator Connector - Standard Bovie Plug Fitting
INE-689




SILLICON DIATHERMY CABLE 10' (3.0m)
Forceps Connector - 4.8mm
Generator Connector - Standard Bovie Plug Fitting
INE-690



SILLICON DIATHERMY CABLE 10' (3.0m)
Forceps Connector - 4.8mm
Generator Connector - Standard Banana Plug
INE-691



ELECTROSURGICAL PENCILS



FINGER - SWITCH REUSEABLE
HAND CONTROL, 3m SILICON
CABLE WITH BLADE ELECTRODE
INE-692

SINGLE USE FINGER - SWITCH
HAND CONTROL, 3m CABLE
WITH BLADE ELECTRODE
(NON-STERILE)
INE-693

ELECTRODE HANDLE REUSEABLE
FOOT CONTROL, 3m SILICON CABLE
INE-694